


# COALITION FOR A SAFE & DRUG-FREE FAIRFIELD

## PROBLEM: Too many youth in Fairfield City & Township drink alcohol.

**Data:** Average age of onset is 13(2008FSUS); 22.1% of Fairfield City & Twp youth in grades 7-12<sup>th</sup> drunk alcohol in the past 30 days (2008 FSUS); 42.3% of Fairfield City & Twp 12<sup>th</sup> graders reported drinking alcohol in the last 30 days (2008 FSUS); 45.5% of Fairfield City & Twp youth in grades 7-12<sup>th</sup> drunk alcohol in the past year (2008 FSUS).

\*\*FSUS stand s for Fairfield Sudent Use Survey

Provide Information-PI	Access/Barriers-AB	Policies or Regulation-P
Build Skills-BS	Incentives/Disincentives-ID	
Provide Support-PS	Physical Design-PD	




# COALITION FOR A SAFE & DRUG-FREE FAIRFIELD

## PROBLEM: Too many youth in Fairfield City & Township use marijuana.

**Data:** Average age of onset is 13.4(2008FSUS); 12% of Fairfield City & Twp youth in grades 7-12<sup>th</sup> used marijuana in the past 30 days (2008 FSUS); 24% of Fairfield City & Twp 12<sup>th</sup> graders reported using marijuana in the last 30 days (2008 FSUS); 17.7% of Fairfield City & Twp youth in grades 7-12<sup>th</sup> smoked marijuana in the past year (2008 FSUS).

\*\*FSUS stand s for Fairfield Sudent Use Survey

Provide Information-PI Build Skills-BS Provide Support-PS	Access/Barriers-AB Incentives/Disincentives-ID Physical Design-PD	Policies or Regulation-P
---	---	--------------------------



# COALITION FOR A SAFE & DRUG-FREE FAIRFIELD

## PROBLEM: Too many youth in Fairfield City & Township abuse prescription drugs and OTC cough medicines.

**Data:** 4.8% of 9-12 graders reported that they have taken a prescription drug such as Ritalin, Adderall, or Xanax without a doctor prescription 10-40+ times during the past 30 days (2008 FSUS); Fairfield City School District school nurses have seen an emerging abuse of prescription drugs with students (antidotal); Nationally, from 1995 to 2005, the number of teenagers treated for addiction to prescription pain relievers increased more than 300% (found in April 17, 2008 Join Together Newsletter); Estimated that one out of 10 teens nationwide—that's 2.4 million kids from all backgrounds and geographic areas—say that they have taken cough remedies to get high. Data collected in 2008 by the National Institute on Drug Abuse for its Monitoring the Future study estimate the intentional abuse of cough medicine among eighth, tenth, and twelfth graders is 3.6 percent, 5.3 percent, and 5.5 percent, respectively.

\*\*FSUS stands for Fairfield Student Use Survey

Provide Information-PI Build Skills-BS Provide Support-PS	Access/Barriers-AB Incentives/Disincentives-ID Physical Design-PD	Policies or Regulation-P
---	---	--------------------------

